

SEQUENCE LISTING

<110> Alajem, Sara et al.

<120> OLIGONUCLEOTIDES AND ASSEMBLIES THEREOF USEFUL IN THE DETECTION OF THE PRESENCE OR ABSENCE OF TARGET NUCLEIC ACID SEQUENCES

<130> 00/21340

<150> 09/449,545
<151> 1999-11-29

<160> 47

<170> PatentIn version 3.0

<210> 1
<211> 263
<212> DNA
<213> Human cytomegalovirus (strain AD169);

<400> 1
agaccttcat gcagatctcc tcaatgcggc gcttcattac actgataacc tcaggcttgg 60
ttatcagagg ccgcttgcc agcatcacac tagtctcctc taagacatag cagcacagca 120
cccgacagaa ctcacttaag agagagatgc ccccgtacat ggtcatcata caagcgtcac 180
tagtgacctt gtactcatta cacattgtt ccacacatgt agtgaggata tccataaata 240
tgtgatcaat gtgcgtgagc acc 263

<210> 2
<211> 20
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> primer

<400> 2
agaccttcat gcagatctcc 20

<210> 3
<211> 20
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> primer

<400> 3
ggtgctcacg cacattgatc 20

<210> 4
<211> 263
<212> DNA
<213> Human cytomegalovirus (strain AD169);

<220>
<221> misc_feature
<223> antisense;

<400> 4
ggtgctcacg cacattgatc acatatttat ggatatcctc actacatgtg tggaaacaat 60
gtgtaatgag tacaaggta ctagtgacgc ttgtatgtg accatgtacg gggcatctc 120
tctcttaagt gagttctgtc ggggtctgtg ctgctatgtc ttagaggaga ctagtgtat 180
gctggccaag cggcctctga taaccaagcc tgaggttatc agtgtaatga agcgccgcat 240
tgaggagatc tgcataagg tct 263

<210> 5
<211> 50
<212> DNA
<213> Human cytomegalovirus (strain AD169);

<400> 5

tcaggcttgg ttatcagagg ccgcttggcc agcatcacac tagtctcctc	50
<210> 6	
<211> 35	
<212> DNA	
<213> Human cytomegalovirus (strain AD169);	
<400> 6	
ggccagcata acactagtct cctctaagac atagc	35
<210> 7	
<211> 59	
<212> DNA	
<213> Human cytomegalovirus (strain AD169);	
<400> 7	
ggccagcata acactagtct cctctaagac atagcagcac agcaccgac agaactcac	59
<210> 8	
<211> 36	
<212> DNA	
<213> Artificial sequence;	
<220>	
<221> misc_feature	
<223> synthetic oligonucleotide;	
<220>	
<221> misc_feature	
<222> (1)..(1)	
<223> Biotinylated at 5'-end	
<400> 8	
cagcatcaca cttagtctcct ctaagacata gcagca	36
<210> 9	
<211> 36	
<212> DNA	
<213> Artificial sequence;	
<220>	
<221> misc_feature	
<223> synthetic oligonucleotide	
<400> 9	
tgctgctatg tcttagagga gactagtgtg atgctg	36
<210> 10	
<211> 36	
<212> DNA	
<213> Artificial sequence;	
<220>	
<221> misc_feature	
<223> hybridized oligonucleotides	
<220>	
<221> misc_feature	
<222> (1)..(1)	
<223> Biotinylated at 5'-end of sense	
<400> 10	
cagcatcaca cttagtctcct ctaagacata gcagca	36
<210> 11	
<211> 37	
<212> DNA	
<213> Artificial sequence;	

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 11
tggttatcg aggccgctta aaattcgaag ggttcac

37

<210> 12
<211> 37
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<400> 12
gtgaaccctt cgaattcaca gcatcacact agtctcc

37

<210> 13
<211> 32
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 13
tggttatcg aggccgctta aaattcgaag gg

32

<210> 14
<211> 32
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<400> 14
cccttcgaat tcacagcatc acactagtct cc

32

<210> 15
<211> 36
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 15
ggcttggtta tcagaggccg cttaaaattc gaaggg

36

<210> 16
<211> 37
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<400> 16
cccttcgaat tcacagcatc acactagtct cctctaa 37

<210> 17
<211> 39
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 17
tggttatcg aggccgctta aaattcgaag ggttcacga 39

<210> 18
<211> 39
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<400> 18
tcgtgaaccc ttcgaattca cagcatcaca cttagtctcc 39

<210> 19
<211> 43
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 19
cagcatcaca cttagtctcca gctagttcga cgcgccacgc gtc 43

<210> 20
<211> 53
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<400> 20

gaactagcta ctcttaagaca tagcagcaca gcacccgaca gaactcaatt aag

<210> 21
<211> 24
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<220>
<221> modified_base
<222> (20)..(20)
<223> m6a

<400> 21
gtacgggggc ataaattcga acgc

24

<210> 22
<211> 24
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 22
gtacgggggc ataaattcga acgc

24

<210> 23
<211> 38
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 23
tttttttttg cgttcgaatt tctctctt aagtgagt

38

<210> 24
<211> 52
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature

<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 24
tcactagtga cgcttgtatg atgaccatgt acggggcat aaattcgaac gc

52

<210> 25
<211> 52
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<220>
<221> modified base
<222> (48)..(48)
<223> m6a

<400> 25
tcactagtga cgcttgtatg atgaccatgt acggggcat aaattcgaac gc

52

<210> 26
<211> 64
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 26
ttatcagagg ccgcttgaaa attcgaattt accaagaatt cgaattcaca gcatcacact

60

agtc

64

<210> 27
<211> 65
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 27
gttatcagag gccacttgaa aattcgaattt gaccaagaat tcgaattcac agcatcacac
tagtc

60

65

<210> 28
<211> 83
<212> DNA
<213> Artificial sequence;

```

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 28
tggttatcg aggccgcttg ttataatcga ataaatggag gaagattaaat tcgaatataa      60
gccagcatca cactagtctc ctc                                83

<210> 29
<211> 89
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 29
tggttatcg aggccgcttg ttatattcga ataaatgacc gaggaggaag attaattcga      60
atataagcca gcatcacact agtctcctc                                89

<210> 30
<211> 77
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 30
cagcatcaca cttagtctcta ctcgagcaaa aaaaaaaaaaaa aaaaaaaaaac actcgagcgc      60
tctaagacat agcagca                                77

<210> 31
<211> 68
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 31
cagcatcaca cttagtctcta cacacacatc gagcattcga cacacacacg ctctaagaca      60
tagcagca                                68

<210> 32

```

```

<211> 77
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 32
cagcatcaca ctagtctcta cactcgagca cacaaaaaaaaaaa aaaaacacac tcgagcacgc      60
tctaagacat agcagca                                77

<210> 33
<211> 77
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 33
cagcatcaca ctagtctcta ctgcggcaca cacaaaaaaaaaaa aaaaacacac actcgagcgc      60
tctaagacat agcagca                                77

<210> 34
<211> 87
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 34
cagcatcaca ctagtctcta cacacctcga gcaaaaaaaaaaaa aaaaaaaaaaaa aaaacactcg      60
agacacacgc tctaagacat agcagca                                87

<210> 35
<211> 81
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 35
cagcatcaca ctagtctcta cactcgagca cacaaaaaaaaaaa aaaaaaaaaac acactcgagc      60
acgctctaa agatagcagc a                                81

```

<210> 36
<211> 54
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 36
gccagcatca cactacccccc tcgaggattc gaaaaaacct ctaagacata gcag 54

<210> 37
<211> 58
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 37
cagcatcaca ctagtcactc gaggagaccc gtgtcgaacc tcctctaaga catagcag 58

<210> 38
<211> 60
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 38
gaactcaatt aagagagaga tgccccgt aatggtcatt atacaagggt cactagtgc 60

<210> 39
<211> 44
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 39
cagcatcaca ctagtctcaa ttcaaggcg atgaccatgt acgg 44

```

<210> 40
<211> 47
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 40
cactagtgac gcttgtatcg cttcgaattc tctaagacat agcagca 47

<210> 41
<211> 50
<212> DNA
<213> Human cytomegalovirus (strain AD169);

<400> 41
tcaggcttgg ttatcagagg ccgcgtggcc agcatcacac tagtctcctc 50

<210> 42
<211> 59
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<400> 42
atgtgtggaa acaatgtgta atgagtacaa ggtcactagt gacgcttgta tgatgacca 59

<210> 43
<211> 41
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<400> 43
cgaatttgac ctgttactca ttacacattt tttccacaca t 41

<210> 44
<211> 28
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<400> 44
cgaatttgac ctgttactca ttacacat 28

<210> 45
<211> 47
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

```

```

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 45
tggtcatcat acaagcgtca ctagaattcg aacggtttt ttccgtt 47

<210> 46
<211> 43
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 46
catcatataaa gcgtcaactag aattcgaacg gttttttcc gtt 43

<210> 47
<211> 39
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

<400> 47
ataacaaggct cactagaatt cgaacggttt tttccgtt 39

<210> 48
<211> 59
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<400> 48
atgtgtggaa acaatgtgta atgagtacaa ggtcagtagt gacgcttgta tcatgacca 59

<210> 49
<211> 27
<212> DNA
<213> Artificial sequence;

<220>
<221> misc_feature
<223> synthetic oligonucleotide;

<220>
<221> misc_feature
<222> (1)..(1)
<223> Biotinylated at 5'-end

```

<400> 49
tttcatcata aaagcgtcac tagaatt